

**SEP 07 2007**Customer No.: 31561  
Docket No.: 10870-US-PA  
Application No.: 10/604,689

In page 4 of the Office Action, the Examiner has alleged that a "group of dots aligned along the y-axis in a dot array 32Xi" of Yanagisawa serves as the first strip-shaped shadow pixel of the present invention, whereas a "group of dots aligned the x-axis in the dot array 32Xi" of Yanagisawa purportedly serves as Applicants' second strip-shaped shadow pixel. Applicants respectfully disagree.

Yanagisawa teaches "[i]n the coding by the dot array, any numbers of dots may be used according to the required specification, i.e., the area of an input effective region, fineness of display images, accuracies or resolving power of coordinate inputting, and the specification of the area sensor as indicating input means. The dot array may be added by the size, shape, and color of dots, on demand. In the coding, "0" is not necessarily the same as the background as far as dots of "0" and "1" having respective colors can be determined and binarized. For example, although the dots of "0" and "1" have the same color, the dots can be coded as far as they have different contrasts. The space between dots is not limited to the same as the dot size just like in the embodiment, and any space in size may be applied. A larger space is preferable within the allowable limit. By employing a so-called DC free dot array in which the number of "1" dots are substantially the same in the entire dot array, the so-called gray grade may be unified. Furthermore, the so-called zero-run in which dots of "1" or "0" are continuously arranged may be prohibited. The unified gray grade and the zero-run prohibition enable the display images to be uniformly viewed as a whole" (paragraph [0103]).



Customer No.: 31561  
Docket No.: 10870-US-PA  
Application No.: 10/604,689

That is, Yanagisawa merely discloses the dot array may be added by the size, shape, and color of dots, on demand. The dot having a color represents "0" while the dot having another color is referred to as "1". Furthermore, the dot may indicate "0" or "1" by adding the size or the shape of dot. However, in the operation of "0" or "1", the dot does not emit electromagnetic radiation in the invisible part of the spectrum, and only the size of the dot, the shape thereof, or the color thereof is changed. Although the Examiner has construed that "the dot for a "0" can be a different color than the "1" dot, the use of different wavelengths is equivalent to different radiation states" on page 4 of the Office Action, it is respectfully submitted that the "color" in Yanagisawa refers to a visible light having a wavelength between 400~700 nm, whereas the electromagnetic radiation taught by claim 1 of the present invention is an invisible light and is emitted at a different wavelength outside the range of 400-700 nm. Therefore, Yanagisawa fails to teach or suggest "the first strip-shaped shadow pixel emits electromagnetic radiation in the invisible part of the spectrum either in a first electromagnetic radiation state or in a second electromagnetic radiation state" or "the second strip-shaped shadow pixel emits electromagnetic radiation in the invisible part of the spectrum either in a third electromagnetic radiation state or in a fourth electromagnetic radiation state such that the third and the fourth electromagnetic radiation state are different from each other" as recited in the amended claim 1 of the present invention.

For at least the foregoing reasons, Applicants respectfully submit that Yanagisawa does not teach each and every element in Applicants' claim 1. Independent claim 1 at



Customer No.: 31561  
Docket No.: 10870-US-PA  
Application No.: 10/604,689

issue patently defines over the prior art reference, and thus should be allowed.

Claims 4, 6-7, 11, and 13-16 respectively depend upon the allowable independent claim 1. Therefore, claim 4, 6-7, 11, and 13-16 should be allowed as a matter of law.

As to claim 19 of the present invention, as amended, it recites,

"A non-touch panel input device, comprising:

a display panel having a pixel array, wherein the pixel array at least comprises a plurality of first pixel structures with each pixel structure at least comprising:

a sub-pixel, adapted for displaying a color in the visible light spectrum;

a first strip-shaped shadow pixel, longitudinally positioned on and extending along a first side of the sub-pixel, wherein the first

strip-shaped shadow pixel emits electromagnetic radiation in the invisible part of the spectrum either in a first electromagnetic radiation state or in a second electromagnetic radiation state;

a second strip-shaped shadow pixel, latitudinally positioned on and extending along a second side of the sub-pixel, wherein the second

strip-shaped shadow pixel emits electromagnetic radiation in the invisible part of the spectrum either in a third electromagnetic radiation state or in a fourth electromagnetic radiation state such

that the third and the fourth electromagnetic radiation state are different from each other; and

a sensor suspended over the display panel, wherein the sensor is adapted for



Customer No.: 31561  
Docket No.: 10870-US-PA  
Application No.: 10/604,689

remotely obtaining a location of the sensor relative to the display by detecting the first electromagnetic radiation state or the second electromagnetic radiation state of the electromagnetic radiation in the invisible part of the spectrum emitted from the first strip-shaped shadow pixel and the third electromagnetic radiation state or the fourth electromagnetic radiation state of the electromagnetic radiation in the invisible part of the spectrum emitted from the second strip-shaped shadow pixel." (Emphasis added)

Therefore, amended claim 19 has the features "the first strip-shaped shadow pixel emits electromagnetic radiation in the invisible part of the spectrum either in a first electromagnetic radiation state or in a second electromagnetic radiation state" and "the second strip-shaped shadow pixel emits electromagnetic radiation in the invisible part of the spectrum either in a third electromagnetic radiation state or in a fourth electromagnetic radiation state". Similar to the reasons advanced above, claim 19 should be novel and patentable over Yanagisawa.

**Response to Claim Rejections under 35 U.S.C. Section 103**

*Claims 2, 5, 12 and 17-18 have been rejected under 35 U.S.C. 103(a) as being unpatentable over Yanagisawa in view of Dougherty.* Applicants respectfully traverse the rejection for at least the following reasons.

To establish *prima facie* obviousness of a claimed invention, all the claim limitations must be taught or suggested by the prior art. In *re Royka*, 490 F.2d 981, 180



SEP-07-2007 FRI 16:45

FAX NO.

RECEIVED  
CENTRAL FAX CENTER

P. 17/17

SEP 07 2007

Customer No.: 31561  
Docket No.: 10870-US-PA  
Application No.: 10/604,689

**CONCLUSION**

For at least the foregoing reasons, it is believed that the pending claims 1-2, 4-7 and 11-19 are in proper condition for allowance. If the Examiner believes that a telephone conference would expedite the examination of the above-identified patent application, the Examiner is invited to call the undersigned.

Date :

Sept. 7, 2007

Respectfully submitted,

Belinda Lee

Belinda Lee

Registration No.: 46,863

Jiang Chyun Intellectual Property Office  
7<sup>th</sup> Floor-1, No. 100  
Roosevelt Road, Section 2  
Taipei, 100  
Taiwan  
Tel: 011-886-2-2369-2800  
Fax: 011-886-2-2369-7233  
Email: [belinda@jicgroup.com.tw](mailto:belinda@jicgroup.com.tw)  
[Usa@jicgroup.com.tw](mailto:Usa@jicgroup.com.tw)